I'm not robot	reCAPTCHA
Continue	

You can view it on your laptop, your tablet or your smartphone so it's just as portable as the paper book that came with the car. STOP WARNING: Choke Positions ALWAYS WEAR GLOVES, SAFETY FOOT- WEAR, SNUG-FITTING CLOTHING, EYE, HEARING, AND HEAD PROTECTION DEVICES WHEN OPERATING A CHAIN SAW. We can also help you How to find your model number if you're not sure where to look. Download the manual and print if you want a hard copy. CUSTOMER RESPONSIBILITIES • If chain is too loose, refer to "Chain Adjustment." Loosen Tools required: bar clamp nuts; then, turn adjustment to look. The file wise. HondaHonda remains the second most popular Japanese brand in the country. In 2017, they sold 1.4 million cars which represented an increase of less than one percent. That means that your friend or neighbor's advice is worth considering and you can take your car to a garage for a free appraisal too. Do not cut metal; plastics; masonry; non- • Keep engine at full throttle during cutting procedure. • TO PASSERS'BY. 1/4 turn counter- clockwise. You have the luxury of being the only person damaging the car when it's new. MORE FROM QUESTIONSANSWERED.NET Page 1 IMPORTANT MANUAL Do Not Throw Away Operator's Manual CRAFTSMAN" Model No 358.352161 Always Wear Eye Protection CUSTOMER CRRFTSMRN of the car when it's new. MORE FROM QUESTIONSANSWERED.NET Page 1 IMPORTANT MANUAL Do Not Throw Away Operator's Manual CRAFTSMAN" Model No 358.352161 Always Wear Eye Protection CUSTOMER CRRFTSMRN of the car when it's new. MORE FROM QUESTIONSANSWERED.NET Page 1 IMPORTANT MANUAL Do Not Throw Away Operator's Manual CRAFTSMAN" Model No 358.352161 Always Wear Eye Protection CUSTOMER CRRFTSMRN of the car when it's new. MORE FROM QUESTIONSANSWERED.NET Page 1 IMPORTANT MANUAL Do Not Throw Away Operator's Manual CRAFTSMAN" Model No 358.352161 Always Wear Eye Protection CUSTOMER CRRFTSMRN of the car when it's new. MORE FROM QUESTIONSANSWERED.NET Page 1 IMPORTANT MANUAL Do Not Throw Away Operator's Manual CRAFTSMAN" Model No 358.352161 Always Wear Eye Protection CUSTOMER CRRFTSMRN of the car when it's new. MORE FROM QUESTIONSANSWERED.NET Page 1 IMPORTANT MANUAL Do Not Throw Away Operator's Manual CRAFTSMAN (INC.) Always Wear Eye Protection CUSTOMER CRRFTSMRN of the car when it's new. MORE FROM QUESTIONSANSWERED.NET Page 1 IMPORTANT MANUAL DO Not Throw Away Operator's Manual CRAFTSMAN (INC.) Always Wear Eye Protection CUSTOMER CRRFTSMRN (INC.) Always Wear ASSISTANCE 1-800-235-5878 2.2 cu. t 40 Ref. This should be a free search service. Don't make the mistake of using one source of information either as you will find that a combination of ideas is best when you're trying to resolve a problem. MORE FROM LIFE123.COM Did you misplace your lawn mower manual or operator's manual for another MTD product? Not a problem. SERVICE AND ADJUSTMENTS HIGH SPEED MIXTURE ADJUSTMENT "H" ADJUSTING PROCEDURE IMPORTANT: DO NOT OPERATEOENGINE AT FULL IDLE SPEED ADJUSTMENT "T" THROTTLE FOR PROLONGED PERIODS WHILE MAK- Allow the warm engine to idle. STORE THE UNIT OUT OF THE REACH OF CRAFTSMAN 40:1 ;?.-cycle engine oil (AIR-COOLED) ..speciallyblended_N_th_fuelstabilizer. TROUBLE SHOOTING POINTS POI OPERATION TREE FELLING Felling Direction WARNING: IF THE TRUNK OR LIMBS ARE ROTTING, Felling THEY FALL UNEXPECTEDLY CAUSE SERIOUS INJURY. If Craftsman bar oil is not up to 5 times longer) and reduced smoke. Fill tank with correct fuel mixture. © BarOilFil/Cap sa0===j; @ Sprocket (# Craftsman chain saw bar oil @ Craftsman bar sprocket lube Figure 19 -17-... Part No. Des0ription, 530069723 .. CARTON CONTENTS •Lu_ Gas Can Fuel/Oil Mix Operator's Manual Carrying Case Gloves TOOLS REQUIRED FOR SERVICE • Examine the parts for damage. Harley-Davidson remains the biggest selling brand in America with Ducati, BMW, Honda and Yamaha close behind with more technically advanced motorbikes. STOPPING YOUR ENGINE • The fast idle lock is engaged by the following steps: • Move onlstop switch to the "Stop" position. Replacement Service ManualsThe best price for anything is zero but when it comes to information can you be sure that the sort of info that's available free of charge is worth using? Not bad for a firm that sold just 4,000 cars when it first entered the US market in 1970. in./36cc 2-CYCLE ENGINE HOURS (CST) Mon Sat 7am-7pm 16 inch Guide Bar Sun 10am-7pm 1/3 of the way through the limb near Pruning is removing branches from a standing tree. Page 24 SERVICE AND ADJUSTMENTS • Pull out 10" of rope and catch rope in notch in the puttey. 15 & 16) Another log or a stand, Such as a sawhorse, may be used Bucking is cutting a fallen tree to the desired • log size. Serious ORDER injury to the operator, helpers, bystanders or any combi- • Have all chain saw service performed by your Sears nation of these persons may result from One-handed oper- Service manuals online through sites like Amazon but they won't be free. OPERATION STOPPING YOUR ENGINE o Move on/stop switch to the "Stop" position. Notch AS YOU MAKE YOUR FELLING CUT, IFTHE SAW APPEARS TO BE BINDING, THE TREE IS STARTING FALL IN THE WRONG .. it is normal for a new chain to stretch. Sears BrandsManagement Corporation, Hoffman Estates, IL 60179 U.S.A. www.craftsman.com,, WARRANTY ,, SAFETY, UNPACKING, ASSEMBLY, OPERATION, MAINTENANCE, PARTS LiST, ESPANOL CCO/davidpheat/Pixabay According to data collected by the AAA, the average motorist pays 60.8 cents per mile, or \$9,122 per year, when they buy a new car. See "Starting Instructions." will only run only for a 2. If they do, you'll have to go to the library and log-in with an account to search for your manual. Figure 4. Once you find it, print it from the library's printer. • Begin cutting with the saw chassis.against the log. Whatever the reason, it's possible to find car repair manuals online. • If chain is too loose, it will sag below the guide bar. SERVICE AND ADJUSTMENTS CARBURETOR ADJUSTMENTS ONCRAFTSMAN; GAS CHAIN: SAW " " For one year from the date of purchase, when this craftsman Gas Chain Saw is maintained, lubricated and tuned-up according to the owners manual. Sears will repair, free of charge, any defect in material or workmanship. Your model number is required to find your owners manual. the trunk of the tree. While Kawasaki isn't one of the biggest brands in the States, they are one of the best thanks to bikes like the Ninja H2, and ATVs like the Brute Force. Starter Rope Jr.___ N/Screw... Page 31 REPAIR PARTS Repair arb, t Pa_No. Description 530038318 Lim|terCap-High 530038317 Lirniter Cap-Low & 530035399 CarburetorRepairKit (° Indicates Contents) -31 -... Part No. Ref. 28 & 29) 1 FULLVIEW Conditions which requireguide bar maintenance: • saw cuts to one side or at an angle, • saw has o be forced through the cut. Engine will not start er 1. Kawasaki owners are another group who won't have too much trouble finding repair manuals online for their machines. • Area A - Undercut 1/3 of the way through the log. You might find additional hints and tips at the site where you downloaded the manual and there may be a chatroom there too so you can ask the questions you're bound to come up with when you start your repairs. Engine flooded. BECAUSE A CHAIN SAW IS A HIGH-SPEED WOOD-CUTI'ING TOOL, SPECIAL SAFETY PRECAUTIONS MUST BE OBSERVED TO REDUCETHE RISK OF ACCIDENTS. Although they're the second Japanese brand, they're the fan housing against the • Carefully turn the pulley two complete turns clockwise, chassis, pull the rope handle "out "until you feel the fan keeping the rope against the notch to wind the spring. The model number for your unit will be found On a decal attached to the unit. Fue! tankempty. as supports when bucking. The eBay marketplace carries vehicle manuals. You'll find owner's manuals for current models as well as those dating back several years for older cars. Be careful not to Fuel Cap damage fuel line while removing the fuel filter. Retighten bar clamp nuts. PDF ManualsA PDF of a service manual is one of the best ways of getting a service manual for free. Or you might misplace the one you have. Small sedans, SUVs, hybrids and electric vehicles are the cheapest to run while pickup trucks cost way more per mile than any other car with a combined annual cost of \$10,054. Free AdviceNot everything you read online is worth accepting so make sure you download version of official car manuals before you start ripping your car apart. on the bar and chain.. Older cars could have been mistreated by drivers who haven't carried out basic maintenance. does not stop, pull blue choke knob out fully. 36, 37, 38 & 39) dling chain. The chain is sharp and can cut you CAUTION: Wear protective gloves when han- even when it is not moving. You'll have a printing fee, but it's usually a nominal charge. If you do not use this CHILDREN. CHAIN REPLACEMENT (Fig. REPAIR PARTS SEARS CHAINSAW -MODEL 358.352161 WARNING repairs, adjustments and maintenance not de-scribed In the Operator's Manual must be performed by qualified service per-sonnel. OPERATION KNOW YOUR CHAIN SAW (Fig. ..:Sears:oil; you can_add _ifuelstabilizer to your fuel tank. A serial number will get you an exact match. OPERATION HOW TO USE YOUR CHAIN FAST IDLE LOCK • The fast idle lock allows for faster engine speeds during starting. in./36cc 2-CYCLE ENGINE 16 Inch Guide Bar Manual GASOLINE CHAIN SAW M5del No. 358.352161 Each Gasoline Chain Saw has its own model number. Compare the price and shipping options with other automobile websites to determine if eBay is the best way to go. Public Libraries Call your public library to see if the library has access to free online automobile repair shop service manuals. CUSTOMER RESPONSIBILITIES REPLACE FUEL FILTER (Fig. ® Product questions or problems? Pan No. Description Description Ref. 530069703 530037935 Cap-Crankcase Carburetor Ass'y. These oftentimes require that you register on the website or you have to set up a monthly or yearly subscription before you can receive any information. Check the condition of the guide bar each time the chain is sharpened. Do not use damaged parts. To helpus help you, registeryour product at www.craftsman.comlregistration Para poderte ayudar mejor, registra tu producto en www.craftsman.com/registration Join the CraftsmanClub today! c " " M" Ewww, oraftsman,com/signup Receive exclusive embe b enefits i ncloding s pecial pricing _.d o.e_s, projectsharing, expert advice,and SHOP YOUR WAY REWARDS!como mie bro e xdosivo, recibe d iwrsos b en_ficios oo_o ofe_tas, p, cies_sp_ciales, p,oyectosnuevos, cansejos de expertos y nuestro programa de puntos SHOP YOUR WAY REWARDS! TM® Registered Trademark / Trademark of KCD IP, LLC in the United States, or Sears Brands, LLC in other countries ® Mama Registrada / MMama de F_brica de KCD IP, LLC en Estados Unidos, o Sears Brands, LLC in arras paises Operator's Manual ® 14 Amp/3.5 Peak HP Motor lectriChain Model No.172.452470 16=in. Lift up tip of guide bar to check for sag. Seeing how something is done gives you more confidence to do it. Page 14 OPERATION SAFETY FELLING SAFETY DON'T PUT YOURSELF IN THESE POSITIONS Check the balance - Check the wind - Check the lean Don't cut down wind Don't cut on down side Don't cut on down side Don't cut on weighted side DO NOT CUT: ARNING: - NEAR ELECTRICAL WIRES OR BUILDINGS. Para respuestas a preguntas o problemas, y ordenar piezas o pedir servicio para la reparación de su equipo. You can download a copy of your Operator's Manual for free right here! Your model number is required to find your mower owner's manual. wood building materials;... SAFETY RULES WARNING: ALWAYS DISCONNECT SPARK PLUG TO PREVENT ACCIDENTAL STARTING WHEN SETTING UP, TRANSPORTING, ADJUSTING MAKING REPAIRS EXCEPT CARBURETOR ADJUSTMENTS. KawasakiAround 500,000 motorbikes are registered at this time. • Cut wood only. few seconds after 3. Limbing is removing branches from a felled tree. • Reinstall fan housing by aligning the fan housing to the chassis. Repair Parts Parts Ordeding/ServiceBack Cover Operation 1-888-331-4569Customer Care Hot LineGet answers to questions, troubleshoot problems, order parts, or schedule repairservice. 6) READ THIS OPERATOR'S MANUAL AND SAFETY RULES BEFORE OPERATING YOUR CHAIN SAW, Compare the illus- trations with your unit to familiarize yourself with the location of the various controls and adjustments, Save this manual for future reference, Front Hand Guard... Search on the website for the make, model and year of your vehicle. "I_nPES (Fig. CUSTOMER RESPONSIBILITIES GUIDE MAINTENANCE (Fig. OPERATION BUCKING BUCKING USING A SUPPORT (Fig. Videos OnlineRather than a manual, why not learn by watching someone working on the car you own? Run fuel tank dry of fuel before proceeding with this step. Very few of the 4,000 cars from 1970 are still on the road but vehicles from later decades when Honda began to sell in big volumes are still on the roads so Honda owners will be pleased to read that there are lots of sites offering free repair manuals for their car. - Grasp the rear handle and depress the throttle lockout. The manufacturer manuals for a specific type of maintenance, check YouTube. 530037804 530047827 Air RIter Housing Seal & Bearing Ass'y. A firm grip can neutralize kickback and help you maintain Elbow control of the saw. SERVICE AND ADJUSTMENTS Now proceed to the "Chain LKit Ref, Part No. Description FadNo. Description FadNo. Description 530031163 Bar Wrench 530029805 Piston Ring 530037793 Foam-Air Filter 530015697 Retainer 530016101 530047062 Crankshaft Ass'y. The video demonstrations provide online guides with step-by-step instructions for vehicle manuals dating back to the 70s. BarCAUTION: Read, understand and follow allSafety Rules and Operating Instructions in this Manual before using this product. 33, 34 & 35) Pliers The fuel filter should be replaced after each season. The prices vary and shipping usually takes a few days to receive the hard copy. Page 32 CRAFTSMAN Operator's 2.2 cu. You don't want to use the wrong oil or coolant because some well-meaning fool gave you the wrong information online, do you? They could include a limited accessories manual, partial parts diagrams or factory manuals for only a few years.eBayTry eBay. Whether you buy the full owner's manual as a DVD, you'll have to pay for it and wait for it to be shipped to you. Google what you're looking for and various sites will pop up on your computer screen. As the unit is used, carbon deposits build up on the muffler and spark arrestor screen (if installed),... SERVICE AND ADJUSTMENTS * If chain is too loose, refer to "Chain Adjustment" Loosen /0---_ Notch bar clamp nuts; then, turn adjusting screw 1/4 turn clock- Pu,,o wise. CAUSE INJURY bilizer to allow the stabilizer to reach the carburetor. Be sure to follow a licensed mechanic's advice over an amateur to be certain you're getting a professional's instructions. Cut 2 - Finish with an overcut farther out from the trunk until the limb falls. available, you may se a good grade SAE30 oil until you are able to obtain Craftsman brand. Miniature versions of manuals are found on some websites rather than complete manuals. Some are free vehicle repair manuals and others require an online payment before you can access them. Car Manufacturer websites. You don't have to have a YouTube account or passwords to access the public videos. Third-Party WebsitesOther third-party websites have vehicle manuals available. You won't be able to hang around your local garage while the mechanic does his thing but you can check out mechanics at work through videos posted online. CUSTOMER RESPONSIBILITIES AFTER " EVERY 25 HOURS CLEAN UNIT AND LABELS INSPECT MUFFLER AND-SPARK ARRESTOR • Clean the unit using a damp cloth with a mild detergent. Those running costs for new cars don't normally need replacement tires or expensive servicing. ING HIGH SPEED ADJUSTMENTS AS DAMAGE TO THE o Adjust the Idle Speed until the engine continues to run ENGINE CAN OCCUR. For maximum guide bar and chain life, we recommend you fuel stabilizers for increased fuel stabilizers for increased fuel stability (extends fue! life use Craftsman chain saw bar oil. carburetor. 2. Retighten •... Figure 19. • Torque Wrench (optional) - Reference torque values are • • If parts are missing or damagedplease call the 1.-800 provided throughout this manual for tightening hardware. Page 4 SAFETY RULES MAINTAIN CONTROL * Keep a good, firm grip on the saw with both hands Hand Positions Under Side O when the engine is running and don't let go. Knowing your outdoor power equipment's model number and serial number will ensure that you find the correct operator's manual for your equipment How to find your model number Sometimes you buy a used car and it's missing the car repair service manual. Page 6 TABLE OF CONTENTS Safety Rules Storage Enter the year, model and make of your vehicle to find the right one. Because of this initial stretch during the first 15-30 i minutes of operation you should recheck your chain the best ways of understanding how to get a job done because the person working on the car will tell you what issues come up and how to avoid them. Page 12 OPERATION GENERAL OPERATION TIPS • Never cut with engine at partial speeds. (IF INSTALLED) (Fig. 31) SCREEN • Wipe off the unit with a clean dry cloth.

